

Delta9 THC **0.14%**    THCa **33.58%**    Total THC (THCa \* 0.877 + THC) **29.58%**    Delta8 THC **ND**

|                   |                       |              |              |
|-------------------|-----------------------|--------------|--------------|
| Sample ID         | SD260415-008 (137212) | Matrix       | Flower       |
| Tested for        |                       |              |              |
| Sampled -         | Received              | Apr 15, 2026 | Reported     |
| Analyses executed | FP-IF                 |              | Apr 24, 2026 |

Analyzed Apr 16, 2026 | Instrument HPLC-VWD | Method SOP-001  
The expanded Uncertainty of the Cannabinoids analysis is approximately  $\pm 7.81\%$  at the 95% Confidence Level

| Analyte                                            | LOD<br>mg/g | LOQ<br>mg/g | Result<br>% | Result<br>mg/g |
|----------------------------------------------------|-------------|-------------|-------------|----------------|
| Cannabidiol (CBD)                                  | 0.039       | 0.16        | ND          | ND             |
| Cannabidiol (CBD)                                  | 0.011       | 0.03        | ND          | ND             |
| Cannabidiol (CBD)                                  | 0.033       | 0.16        | 4.26        | 42.56          |
| Cannabigerol Acid (CBGA)                           | 0.033       | 0.16        | 0.20        | 2.00           |
| Cannabigerol (CBG)                                 | 0.048       | 0.16        | <LOQ        | <LOQ           |
| Cannabidiol (CBD)                                  | 0.069       | 0.229       | 0.28        | 2.78           |
| Tetrahydrocannabinol (THC)                         | 0.049       | 0.16        | ND          | ND             |
| Cannabinol (CBN)                                   | 0.047       | 0.16        | ND          | ND             |
| Tetrahydrocannabinol (Δ9-THC)                      | 0.092       | 0.307       | 0.14        | 1.36           |
| Δ8-tetrahydrocannabinol (Δ8-THC)                   | 0.044       | 0.16        | ND          | ND             |
| Cannabicyclol (CBL)                                | 0.0012      | 0.16        | ND          | ND             |
| Cannabichromene (CBC)                              | 0.13        | 0.432       | 0.02        | 0.22           |
| Tetrahydrocannabinolic Acid (THCA)                 | 0.117       | 0.389       | 33.58       | 335.79         |
| Total THC ( THCa * 0.877 + Δ9THC )                 |             |             | 29.58       | 295.85         |
| Total THC + Δ8THC ( THCa * 0.877 + Δ9THC + Δ8THC ) |             |             | 29.58       | 295.85         |
| Total CBD ( CBDa * 0.877 + CBD )                   |             |             | 4.01        | 40.11          |
| Total CBG ( CBGa * 0.877 + CBG )                   |             |             | 0.18        | 1.75           |
| Total Cannabinoids Analyzed                        |             |             | 33.79       | 337.93         |

\*Drug Weight %

Analuzed Apr 20, 2026 | Instrument ICP/MSMS | Method SOP-005

| Analyte      | LOD<br>ug/g | LOQ<br>ug/g | Result<br>ug/g | Limit<br>ug/g |
|--------------|-------------|-------------|----------------|---------------|
| Arsenic (As) | 0.0009      | 0.0027      | 0.07           | 1.5           |
| Cadmium (Cd) | 0.0005      | 0.0015      | 0.04           | 0.5           |
| Mercury (Hg) | 0.0058      | 0.0174      | 0.01           | 3             |
| Lead (Pb)    | 0.0006      | 0.0018      | 0.09           | 0.5           |

## Analyzed Apr 20, 2026 | Instrument Plating | Method SOP-007

| Analyte                                       | LOD<br>CFU/g | LOQ<br>CFU/g | Result<br>CFU/g | Limit<br>CFU/g |
|-----------------------------------------------|--------------|--------------|-----------------|----------------|
| Shiga toxin-producing <i>Escherichia Coli</i> | 1.0          | 1.0          | Negative        | 1              |
| <i>Salmonella</i> spp.                        | 1.0          | 1.0          | Negative        | 1              |
| <i>Aspergillus fumigatus</i>                  | 1.0          | 1.0          | Negative        | 1              |
| <i>Aspergillus flavus</i>                     | 1.0          | 1.0          | Negative        | 1              |
| <i>Aspergillus niger</i>                      | 1.0          | 1.0          | Negative        | 1              |
| <i>Aspergillus terreus</i>                    | 1.0          | 1.0          | Negative        | 1              |

Analyzed Apr 16, 2026 | Instrument LC/MSMS | Method SOP-004

| Analyte      | LOD<br>ug/kg | LOQ<br>ug/kg | Result<br>ug/kg | Limit<br>ug/kg | Analyte          | LOD<br>ug/kg | LOQ<br>ug/kg | Result<br>ug/kg | Limit<br>ug/kg |
|--------------|--------------|--------------|-----------------|----------------|------------------|--------------|--------------|-----------------|----------------|
| Ochratoxin A | 5.0          | 20.0         | ND              | 20             | Aflatoxin B1     | 2.5          | 5.0          | ND              | -              |
| Aflatoxin B2 | 2.5          | 5.0          | ND              | -              | Aflatoxin G1     | 2.5          | 5.0          | ND              | -              |
| Aflatoxin G2 | 2.5          | 5.0          | ND              | -              | Total Aflatoxins | 10.0         | 20.0         | ND              | 20             |

UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNC Too Numerous to Count



DEA license: **RP0611043**  
ISO/IEC 17025:2017 Acc. 85368

Authorized Signature \_\_\_\_\_

Brandon Starr

Scan the QR code to verify authenticity.

Brandon Starr, Quality Assurance Manager  
Fri, 24 Apr 2026 15:15:35 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368

**PharmWare**  
LABORATORY LIMS & ELN

PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 408 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be used to establish, suspect or disprove the truth or falsity of any claim about the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Samples are analyzed individually and are not representative of the entire batch. The results of this analysis apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs does not warrant that the information contained herein is true, accurate, complete, or reliable. PharmLabs does not assume any responsibility for the use of this information by the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformance of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to conflict of law principles.

PES - Pesticides

Analyzed Apr 16, 2026 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte                 | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte               | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb                | 0.01     | 0.02     | ND          |            | Carbofuran            | 0.01     | 0.02     | ND          |            |
| Dimethoate              | 0.01     | 0.02     | ND          |            | Etofenprox            | 0.02     | 0.1      | ND          |            |
| Fenoxycarb              | 0.01     | 0.02     | ND          |            | Thiachloprid          | 0.01     | 0.02     | ND          |            |
| Daminozide              | 0.01     | 0.03     | ND          |            | Dichlorvos            | 0.02     | 0.07     | ND          |            |
| Imazalil                | 0.02     | 0.07     | ND          |            | Methiocarb            | 0.01     | 0.02     | ND          |            |
| Spiroxamine             | 0.01     | 0.02     | ND          |            | Coumaphos             | 0.01     | 0.02     | ND          |            |
| Fipronil                | 0.01     | 0.1      | ND          |            | Paclobutrazol         | 0.01     | 0.03     | ND          |            |
| Chlorpyrifas            | 0.01     | 0.04     | ND          |            | Ethoprophos (Prophos) | 0.01     | 0.02     | ND          |            |
| Baygon (Propoxur)       | 0.01     | 0.02     | ND          |            | Chlordane             | 0.04     | 0.1      | ND          |            |
| Chlorfenapyr            | 0.03     | 0.1      | ND          |            | Methyl Parathion      | 0.02     | 0.1      | ND          |            |
| Mevinphos               | 0.03     | 0.08     | ND          |            | Abamectin             | 0.03     | 0.08     | ND          |            |
| Acephate                | 0.02     | 0.05     | ND          |            | Acetamiprid           | 0.01     | 0.05     | ND          |            |
| Azoxystrobin            | 0.01     | 0.02     | ND          |            | Bifenazote            | 0.01     | 0.05     | ND          |            |
| Bifenthrin              | 0.02     | 0.35     | ND          |            | Boscalid              | 0.01     | 0.03     | ND          |            |
| Carbaryl                | 0.01     | 0.02     | ND          |            | Chlorantranilprole    | 0.01     | 0.04     | ND          |            |
| Clofentezine            | 0.01     | 0.03     | ND          |            | Diazinon              | 0.01     | 0.02     | ND          |            |
| Dimethomorph            | 0.02     | 0.06     | ND          |            | Etoxazole             | 0.01     | 0.05     | ND          |            |
| Fenpyroximate           | 0.02     | 0.1      | ND          |            | Flonicamid            | 0.01     | 0.02     | ND          |            |
| Fludioxonil             | 0.01     | 0.05     | ND          |            | Hexythiazox           | 0.01     | 0.03     | ND          |            |
| Imidacloprid            | 0.01     | 0.05     | ND          |            | Kresoxim-methyl       | 0.01     | 0.03     | ND          |            |
| Malathion               | 0.01     | 0.05     | ND          |            | Metalaxyl             | 0.01     | 0.02     | ND          |            |
| Methomyl                | 0.02     | 0.05     | ND          |            | Myclobutanil          | 0.02     | 0.07     | ND          |            |
| Naled                   | 0.01     | 0.02     | ND          |            | Oxamyl                | 0.01     | 0.02     | ND          |            |
| Permethrin              | 0.01     | 0.02     | ND          |            | Phosmet               | 0.01     | 0.02     | ND          |            |
| Piperonyl Butoxide      | 0.02     | 0.06     | ND          |            | Propiconazole         | 0.03     | 0.08     | ND          |            |
| Prallethrin             | 0.02     | 0.05     | ND          |            | Pyrethrin             | 0.05     | 0.41     | ND          |            |
| Pyridaben               | 0.02     | 0.07     | ND          |            | Spinosad A            | 0.01     | 0.05     | ND          |            |
| Spinosad D              | 0.01     | 0.05     | ND          |            | Spiromesifen          | 0.02     | 0.06     | ND          |            |
| Spirotetramat           | 0.01     | 0.02     | ND          |            | Tebuconazole          | 0.01     | 0.02     | ND          |            |
| Thiamethoxam            | 0.01     | 0.02     | ND          |            | Trifloxystrobin       | 0.01     | 0.02     | ND          |            |
| Acequinocyl             | 0.02     | 0.09     | ND          |            | Captan                | 0.01     | 0.02     | ND          |            |
| Cypermethrin            | 0.02     | 0.1      | ND          |            | Cyfluthrin            | 0.04     | 0.1      | ND          |            |
| Fenhexamid              | 0.02     | 0.07     | ND          |            | Spinetoram J,L        | 0.02     | 0.07     | ND          |            |
| Pentachloronitrobenzene | 0.01     | 0.1      | ND          |            |                       |          |          |             |            |

FVI - Filth & Foreign Material Inspection

Analyzed Apr 15, 2026 | Instrument Microscope | Method SOP-010

| Analyte / Limit                                                        | Result | Analyte / Limit                                                        | Result |
|------------------------------------------------------------------------|--------|------------------------------------------------------------------------|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND     | > 1/4 of the total sample area covered by mold                         | ND     |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g       | ND     | > 1/4 of the total sample area covered by an imbedded foreign material | ND     |

MWA - Moisture Content & Water Activity

Analyzed Apr 16, 2026 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

| Analyte             | LOD a <sub>w</sub> | LOQ a <sub>w</sub> | Result              | Limit               | Analyte        | LOD % M/w | LOQ % M/w | Result   | Limit   |
|---------------------|--------------------|--------------------|---------------------|---------------------|----------------|-----------|-----------|----------|---------|
| Water Activity (WA) | 0.03               | 0.03               | 0.62 a <sub>w</sub> | 0.85 a <sub>w</sub> | Moisture (Moi) | 0.0       | 0.0       | 9.3 % Mw | 13 % Mw |

UI Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



DEA license: **RP0611043**  
ISO/IEC 17025:2017 Acc. 85368

Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
Fri, 24 Apr 2026 15:15:35 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.